CHERRY AK-C7000 MEDICAL KEYBOARD COMPACT WL



Disinfectable Medical Keyboard with num pad

															1 A	<u>+</u>	
590	F1	F2	F3	F4	FS	FG	F7	FB	F9	F10	F11	F12 Holen	Pause	Pos 1	Ende	Einfg	Druck
* ^	!	* 2 :	8 3 3	\$ 4	% 5	& 6	/ 7 {	(8 [) 9 1	= 0 }	? ß \	;	-	Num	÷	*	-
H	Q	W	Ee	R	T	Z	U	1	0	Ρ	Ü	* +~	; #	7 Pos 1	8 †	9 Bid†	ſ.
Û	A	S	D	F	G	Н	J	K	L	Ö	Ă	-	-	4 ←	5	6 →	
Û	> <	Y	×	С	V	В	N	Μ _μ	;		-	1 [Clean]	Entf	1 Ende	2 ↓	3 Bid ¥	Enter
Strg	Œn	Wn	At					Alt Gr		Strg	Bid †	1	Bid #	0 Eintg		, Ertf	CIA
											+	1	-				

Models may vary from the image shown

The AK-C7000 Medical Keyboard with its compact size is an excellent choice for anyone who values hygiene, user-friendliness and flexibility. The waterproof silicone cover enables thorough wipedisinfection and reliably prevents the ingress of liquids, dust and dirt. Like all CHERRY keyboards, the AK-C700 is particularly easy to type on. The light keystroke and short key travel enable effortless and precise typing, which increases efficiency at work.

FUNCTION AND PERFORMANCE

- ightarrow Compact size with number pad
- → Approved for clinical wipe disinfection according to VAH list (German Association of Applied Hygiene)
- → Durable silicone cover with abrasion resistant labelling
- → Maximum writing comfort thanks to scissor technology
- ightarrow Short key travel and solid tactile feedback
- → Clean function: keys are switched off during the cleaning process
- ightarrow 2.4 GHz wireless connection

TECHNICAL DATA

Weight main product:	730 g					
Weight of product without packaging:	800 g					
Weight of product incl. packaging:	880 g					
Weight of master carton incl. content:	9,600 g					
Content of master carton (pieces):	10					
Dimensions product without packaging:	372 mm x 137 mm x 37 mm					
Dimensions product incl. packaging:	395 mm x 195 mm x 45 mm					
Dimensions master carton:	495 mm x 195 mm x 420 mm					
Storage temperature:	-20 °C - 60 °C					
Working temperature:	0 °C - 50 °C					
Product approvals:	 CE FCC EU RoHS EN60601-1-2-2015 (IEC 4th edition) 					
Operating system:	All operating systems that support USB keyboard interface					
Scope of delivery:	 Manual Keyboard 4 x AAA battery Dongle 					
Reliability:	MTBF 90: > 10 Mio.					
USB dongle:	yes					
Wireless range:	10 m					
Number of batteries:	4					
Battery type:	Alkaline					
Battery design:	AAA					
Battery rechargeable:	no					
Battery replaceable:	yes					
Switching characteristics:	tactile					
Max. current consumption (mA) of keyboard:	10 mA					
Actuating force (cN):	60 cN					
Pre-Travel:	3 mm					



Key labeling:	Silk screen printing on silicon membrane				
	Siticoli membrane				
Number of keys:	104				
Special key functions:	• FN Key				
	 CleanFunction 				
Status LEDs:	in housing				
Key technology:	Scissor				

Keycap material:	ABS					
Protection class:	StandardIP 68					
Warranty:	2 years warranty					
Errors, technical changes and delivery options reserved. Technical information refers only to the specification of the products. Properties are not guaranteed.						



SKU / EAN / UPC	Protection class	Color	Layout
AK-C7000F-FUS-B/GE EAN 7061117303210 UPC	IP 68	black	DE (Germany)
AK-C7000F-FUS-W/FR EAN 7061111013269 UPC	IP 68	white	FR (France)
AK-C7000F-FUS-W/GE EAN 7061113670460 UPC	IP 68	white	DE (Germany)
AK-C7000F-FUS-W/NOR EAN 7061116623364 UPC	IP 68	white	NOR (Nordic)
AK-C7000F-FUS-W/UK EAN 7061114575412 UPC	IP 68	white	GB (United Kingdom)
AK-C7000F-FUS-W/US EAN 7061113794500 UPC	IP 68	white	US (USA)
AK-C7000F-FU1-B/GE EAN 7061118461360 UPC	Standard	black	DE (Germany)
AK-C7000F-FU1-W/FR EAN 7061116094416 UPC	Standard	white	FR (France)
AK-C7000F-FU1-W/GE EAN 7061116200091 UPC	Standard	white	DE (Germany)
AK-C7000F-FU1-W/NOR EAN 7061119737563 UPC	Standard	white	NOR (Nordic)
AK-C7000F-FU1-W/UK EAN 7061114994206 UPC	Standard	white	GB (United Kingdom)
AK-C7000F-FU1-W/US EAN 7061112833620 UPC	Standard	white	US (USA)

Please contact your local CHERRY service and support teams or your CHERRY sales partners for versions available in your country.