

according to 1907/2006/EC, Article 31

Printing date 16.12.2018 Version number 3 Revision: 16.12.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product Identifier:

Trade name: Wheel cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Product category: PC35 Washing and cleaning products (including solvent based products)

Application of the substance / the mixture: Surface cleaning

1.3 Details of the supplier of the safety data sheet:

Manufacturer / Importer / Supplier:

Hygeniq
Postbus 618
7500 AP Enschede
The Netherlands
Tel.: +31 53 4282860
Fax: +31 53 5393865
Email: info@hygeniq.com
www.hygeniq.com

Further information obtainable from: Product safety department.

1.4 Emergency telephone number:

Only for DOCTORS / FIRE BRIGADE / POLICE:

NL-Phone: +31 53 4282860 (During office hours)

#### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No 1272/2008: The substance is not classified, according to the CLP regulation.

2.2 Label elements:

Labelling according to Regulation (EC) No 1272/2008: Void

Hazard pictograms: Void Signal word: Void Hazard statements: Void Additional information:

EUH208 Contains sodium mercaptoacetate. May produce an allergic reaction.

2.3 Other hazards:

Results of PBT and vPvB assessment:

**PBT:** Not applicable. **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Chemical characterisation: Mixtures:

**Description:** Mixture of substances listed below, possibly with non-hazardous additions.

Components:			
CAS: 164462-16-2 ELINCS: 423-270-5	Alanine, N,N-bis(carboxymethyl-), trisodiumsalt	♦ Met. Corr.1, H290	10-25%
Reg.nr.: 01-0000016977-53			
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37	Sodium p-cumenesulphonate	🗘 Eye Irrit. 2, H319	≤2.5%

## Ingredients according to detergents regulation (EC nr. 648/2004):

anionic surfactants <5%

Additional information: For the wording of the listed hazard phrases See section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures:

#### General information:

Take affected persons out of danger area and lay down.

(Contd. on page 2)

Page 1/6



according to 1907/2006/EC, Article 31

Printing date 16.12.2018 Version number 3 Revision: 16.12.2018

Trade name: Wheel cleaner

(Contd. of page 1)

Page 2/6

Persons, providing assistance, should avoid exposure and danger for themselves or others.

#### After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Generally the product does not irritate the skin.

#### After eve contact:

If possible, remove contact lenses.

Rinse opened eye for several minutes (at least 15 minutes) under running water. If symptoms persist, consult a doctor.

#### After ingestion:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed: No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media:

# Suitable extinguishing agents:

All extinguishing media are possible.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture: No further relevant information available.

5.3 Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device.

Additional information: Cool endangered tanks with water spray.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures: Not required.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections:

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling:

Do not eat, drink or smoke while working.

No special precautions are necessary if used correctly.

Information about fire and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities:

Storage:

Requirements to be met by storerooms and tanks: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s): No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

Additional information about design of technical facilities: No further data; see section 7.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 16.12.2018 Version number 3 Revision: 16.12.2018

Trade name: Wheel cleaner

(Contd. of page 2)

Page 3/6

#### 8.1 Control parameters:

## Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

#### 8.2 Exposure controls

#### Personal protective equipment:

## General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection: Not required.

## Protection of hands:

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

#### Material of gloves:

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Recommended thickness of the material: > 0.5 mm

# Penetration time of glove material:

Value for the permeation: Level  $\leq 480$ 

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Goggles recommended during refilling

Limitation and supervision of exposure into the environment: Prevent spills from reaching surface waters or soil.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and	chemical properties:
General Information:	
Appearance:	
Form:	Liquid.
Colour:	Colourless.
Odour:	Odourless.
Odour threshold:	Not determined.
pH-value at 20 °C:	9
Change in condition	
Melting point/freezing point:	Not determined.
Initial boiling point and boiling range	: 100 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	1.117 g/cm <sup>3</sup>
Relative density:	Not determined.
Vapour density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with:	
Water:	Fully miscible.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 16.12.2018 Version number 3 Revision: 16.12.2018

Trade name: Wheel cleaner

	(Contd. of pag	e 3)
Refraction Index:	1.376	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
9.2 Other information:	No further relevant information available.	

## **SECTION 10: Stability and reactivity**

10.1 Reactivity: Stable under recommended conditions.

10.2 Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- 10.4 Conditions to avoid: No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects:

Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50	LD/LC50 values relevant for classification:			
,	ATE (Acute Toxicity Estimates)			
Oral	Oral LD50 16,304 mg/kg (Rat)			
111-90-0	111-90-0 Diethylene glycol monoethyl ether			
Oral	LD50	5,500 mg/kg (Rat)		
Dermal	LD50	8,500 mg/kg (rbt)		
367-51-1 sodium mercaptoacetate				
Oral	LD50	150 mg/kg (Rat)		
Dermal	LD50	1,000 mg/kg (Rat)		

Primary irritant effect:

**Skin corrosion/irritation:** Based on available data, the classification criteria are not met.

Serious eye damage/irritation: No known effect.

Respiratory or skin sensitization: Based on available data, the classification criteria are not met.

CMR effects (carcinogenic, mutagenic and reprotoxic):

**Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reprotoxicity: Based on available data, the classification criteria are not met.

 $\textbf{STOT-single exposure:} \ \ \text{Based on available data, the classification criteria are not met.}$ 

**STOT-repeated exposure:** Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

12.1 Toxicity:

Aquatic toxicity: Not hazardous to water.

12.2 Persistence and degradability: Easily biodegradable

12.3 Bioaccumulative potential: Does not accumulate in organisms

12.4 Mobility in soil: No further relevant information available.

(Contd. on page 5)

Page 4/6



according to 1907/2006/EC, Article 31

Printing date 16.12.2018 Version number 3 Revision: 16.12.2018

Trade name: Wheel cleaner

(Contd. of page 4)

Page 5/6

#### Additional ecological information:

**General notes:** 

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment:

**PBT:** Not applicable. **vPvB:** Not applicable.

**12.6 Other adverse effects:** No further relevant information available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods:

Recommendation: Smaller quantities can be disposed of with household waste.

Contaminated packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
14.1 UN-Number: ADR/RID/ADN, IMDG, IATA	Void
14.2 UN proper shipping name: ADR/RID/ADN, IMDG, IATA	Void
14.3 Transport hazard class(es):	
ADR/RID/ADN, IMDG, IATA Class:	Void
14.4 Packing group: ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user:	Not applicable.
14.7 Transport in bulk according to Annex II of Marpol the IBC Code:	l and Not applicable.
UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Directive 2012/18/EU:

Named dangerous substances - ANNEX I: None of the ingredients are listed.

National regulations:

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. This shall not constitute a guarantee for any properties of the product and shall not establish a legally valid contractual relationship.

#### Relevant phrases:

H290 May be corrosive to metals.

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Printing date 16.12.2018 Version number 3 Revision: 16.12.2018

Trade name: Wheel cleaner

(Contd. of page 5)

Page 6/6

H319 Causes serious eye irritation.

Training hints: Take care of good information, instruction and training for users.

Department issuing SDS: Environment protection department.

#### Abbreviations and acronyms:

ADN: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation intérieures (European Agreement concerning the ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (Division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

EC50: Effective Concentration, 50 percent

IOELVS: Indicative Occupational Exposure Limit Values

mPa.s: milliPascal per second

Met. Corr.1: Corrosive to metals - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

This information is based on the current available data (suppliers of raw materials, chemistry maps, Annex VI) See also the internet site: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database

Revisions were made in sections marked with \*.