

according to 1907/2006/EC, Article 31 Printing date 13.03.2019

Version number 2 Revision: 06.03.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier:

Trade name: 3-IN-1 INDOOR CLEANER

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Product category: PC35 Washing and cleaning products (including solvent based products)

Application of the substance / the mixture:

Surface cleaning Consumer use

1.3 Details of the supplier of the safety data sheet:

Manufacturer / Importer / Supplier:

Hygeniq
Postbus 618
7500 AP Enschede
The Netherlands
Tel.: +31 53 4282860
Fax: +31 53 5393865
Email: info@hygeniq.com
www.hygeniq.com

Further information obtainable from: Product safety department.

1.4 Emergency telephone number:

Only for DOCTORS / FIRE BRIGADE / POLICE:

NL-Phone: +31 53 4282860 (During office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No 1272/2008: The substance is not classified, according to the CLP regulation.

2.2 Label elements:

Labelling according to Regulation (EC) No 1272/2008: Void

Hazard pictograms: Void Signal word: Void Hazard statements: Void 2.3 Other hazards:

Results of PBT and vPvB assessment:

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures:

Description: Mixture of substances listed below, possibly with non-hazardous additions.

Components:			
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43		♠ Flam. Liq. 2, H225; ♠ Eye Irrit. 2, H319	≤2.5%
CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23	Propylene glycol	substance with a Community workplace exposure limit	≤2.5%

Ingredients according to detergents regulation (EC nr. 648/2004):

non-ionic surfactants	≥5 - <15%
perfumes	

Additional information: For the wording of the listed hazard phrases See section 16.

— GB ·

Page 1/7



according to 1907/2006/EC, Article 31 Printing date 13.03.2019

Version number 2 Revision: 06.03.2019

Trade name: 3-IN-1 INDOOR CLEANER

(Contd. of page 1)

Page 2/7

SECTION 4: First aid measures

4.1 Description of first aid measures:

General information: Take affected persons out of danger area and lay down.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact:

Rinse opened eye for several minutes (at least 15 minutes) under running water. If symptoms persist, consult a doctor.

After ingestion:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed: No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media:

Suitable extinguishing agents:

All extinguishing media are possible.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture: No further relevant information available.

5.3 Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device.

Additional information: Cool endangered tanks with water spray.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures:** Not required.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections:

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Do not eat, drink or smoke while working.

No special precautions are necessary if used correctly.

Information about fire and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities: Storage must comply with the local regulations.

Storage:

Requirements to be met by storerooms and tanks: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see section 7.

(Contd. on page 3)



according to 1907/2006/EC, Article 31 Printing date 13.03.2019

Version number 2 Revision: 06.03.2019

Trade name: 3-IN-1 INDOOR CLEANER

(Contd. of page 2)

Page 3/7

8.1 Control parameters:

6/L-17-5 of	64-17-5 ethanol		
04-17-5 60	04-17-3 ethanor		
WEL (Gre	at Britain) Long-term value: 1	920 mg/m³, 1000 ppm	
57-55-6 Pi	ropylene glycol		
WEL (Gre	at Britain) Long-term value: 4	74* 10** mg/m³, 150* ppm	
,	*total vapour and p	articulates **particulates	
DNELs			
64-17-5 et	64-17-5 ethanol		
Oral	Long-term - systemic effects	67 mg/kg bw/day (Consumer)	
Dermal	Long-term - systemic effects	206 mg/kg bw/day (Consumer)	
		343 mg/kg bw/day (Worker)	
Inhalative	Long-term - systemic effects	114 mg/m3 (Consumer)	

IIIIIalative	Long-term - Systemic Chects	114 mg/mb (Consumer)	
		950 mg/m3 (Worker)	
	Acute - local effects	950 mg/m3 (Consumer)	
		1,900 mg/m3 (Worker)	
		1,900 mg/m3 (Worker)	

Ingredients with limit values that require monitoring at the workplace:

PNECs

64-17-5 ethanol

Fresh water	0.96 mg/l
Marine water	0.79 mg/l
Intermittent releases	2.75 mg/l
Fresh water sediment	3.6 mg/kg
Marine sediment	2.9 mg/kg
Soil	0.63 mg/kg
Sewage treatment	580 mg/l

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection: Not required.

Protection of hands:

Use protective gloves to DIN EN374-3

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Natural rubber, NR

Penetration time of glove material:

Permeation: Breakthrough time - > 480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Goggles recommended during refilling

Use safety glasses that meets the requirements of EN 166; latest versions.

Body protection: Protective work clothing

Limitation and supervision of exposure into the environment: Prevent spills from reaching surface waters or soil.

GB



according to 1907/2006/EC, Article 31 Printing date 13.03.2019

Version number 2

Revision: 06.03.2019

Trade name: 3-IN-1 INDOOR CLEANER

(Contd. of page 3)

Page 4/7

Appearance: Form: Colour: Blue Odour: Perfumed Odour threshold: Not determined. PH-value at 20 °C: 7-8 Change in condition Melting point/freezing point: Initial boiling point and boiling range: > 100 °C Flash point: Not applicable. Flammability (solid, gas): Not applicable. Decomposition temperature: Not determined. Auto-ignition temperature: Product is not self-igniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Upper: Not determined. Vapour pressure at 20 °C: 23 hPa Density at 20 °C: Relative density: Not determined. Vapour density: Not determined. Solubility in / Miscibility with: Water: Fully miscible. Fully miscible. Refraction Index: Fully miscible. Refraction Index: Fully miscible. Refraction Index: Fully miscible. Refraction Index: 1.350	9.1 Information on basic physical and of General Information:	chemical properties:
Form: Liquid. Colour: Blue Odour threshold: Not determined. PH-value at 20 °C: 7-8 Change in condition Melting point/freezing point: Not determined. Initial boiling point and boiling range: > 100 °C Flash point: Not applicable. Flammability (solid, gas): Not applicable. Decomposition temperature: Not determined. Auto-ignition temperature: Product is not self-igniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 23 hPa Density at 20 °C: 1.006 g/cm³ Relative density: Not determined. Vapour density: Not determined. Vapour density: Not determined. Solubility in / Miscibility with: Water: Fully miscible. Refraction Index: 1.350		
Colour: Odour threshold: Perfumed Not determined. Ph-value at 20 °C: 7-8 Change in condition Melting point/freezing point: Initial boiling point and boiling range: > 100 °C Flash point: Not applicable. Flammability (solid, gas): Not applicable. Pecomposition temperature: Not determined. Auto-ignition temperature: Product is not self-igniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Upper: Not determined. Vapour pressure at 20 °C: 23 hPa Density at 20 °C: 1.006 g/cm³ Not determined. Vapour density: Not determined. Vapour density: Not determined. Vapour density: Not determined. Vapour density: Vapour density: Fully miscible. Refraction Index: Fully miscible. Refraction Index: Fully miscible. Refraction Index: Fully miscible. Refraction Index: Fully miscible.	••	Liquid
Odour threshold: Odour		·
pH-value at 20 °C: 7-8 Change in condition Melting point/freezing point: Not determined. Initial boiling point and boiling range: > 100 °C Flash point: Not applicable. Flammability (solid, gas): Not applicable. Decomposition temperature: Not determined. Auto-ignition temperature: Product is not self-igniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 23 hPa Density at 20 °C: 1.006 g/cm³ Relative density: Not determined. Vapour density: Not determined. Vapour density: Not determined. Solubility in / Miscibility with: Water: Fully miscible. Refraction Index: 1.350	Odour:	Perfumed
Change in condition Melting point/freezing point: Initial boiling point and boiling range: > 100 °C Flash point: Not applicable. Flammability (solid, gas): Not applicable. Decomposition temperature: Not determined. Auto-ignition temperature: Product is not self-igniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Upper: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 23 hPa Density at 20 °C: Relative density: Not determined. Vapour density: Not determined. Vapour density: Not determined. Solubility in / Miscibility with: Water: Fully miscible. Refraction Index: 1.350	Odour threshold:	Not determined.
Melting point/freezing point: Initial boiling point and boiling range: > 100 °C Flash point: Not applicable. Flammability (solid, gas): Not applicable. Decomposition temperature: Not determined. Auto-ignition temperature: Product is not self-igniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 23 hPa Density at 20 °C: Relative density: Not determined. Vapour density: Not determined. Vapour density: Not determined. Solubility in / Miscibility with: Water: Fully miscible. Refraction Index: 1.350	pH-value at 20 °C:	7-8
Initial boiling point and boiling range: > 100 °C Flash point: Not applicable. Flammability (solid, gas): Not applicable. Decomposition temperature: Not determined. Auto-ignition temperature: Product is not self-igniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 23 hPa Density at 20 °C: 1.006 g/cm³ Relative density: Not determined. Vapour density: Not determined. Vapour density: Not determined. Solubility in / Miscibility with: Water: Fully miscible. Refraction Index: 1.350	Change in condition	
Flash point: Not applicable. Flammability (solid, gas): Not applicable. Decomposition temperature: Not determined. Auto-ignition temperature: Product is not self-igniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Upper: Not determined. Vapour pressure at 20 °C: 23 hPa Density at 20 °C: Relative density: Not determined. Vapour density: Not determined. Not determined. Solubility in / Miscibility with: Water: Fully miscible. Refraction Index: 1.350		
Flammability (solid, gas): Not applicable. Not determined. Auto-ignition temperature: Product is not self-igniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Upper: Not determined. Vapour pressure at 20 °C: 23 hPa Density at 20 °C: 1.006 g/cm³ Relative density: Vapour density: Vapour density: Vapour density: Not determined. Not determined. Not determined. Solubility in / Miscibility with: Water: Fully miscible. Refraction Index: 1.350	Initial boiling point and boiling range	:: > 100 °C
Decomposition temperature: Not determined. Auto-ignition temperature: Product is not self-igniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 23 hPa Density at 20 °C: 1.006 g/cm³ Relative density: Not determined. Vapour density: Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with: Water: Fully miscible. Refraction Index: 1.350	Flash point:	Not applicable.
Auto-ignition temperature: Product is not self-igniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 23 hPa Density at 20 °C: 1.006 g/cm³ Relative density: Not determined. Vapour density: Not determined. Vapour density: Not determined. Solubility in / Miscibility with: Water: Fully miscible. Refraction Index: 1.350	Flammability (solid, gas):	Not applicable.
Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 23 hPa Density at 20 °C: 1.006 g/cm³ Relative density: Not determined. Vapour density: Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with: Water: Fully miscible. Refraction Index: 1.350	Decomposition temperature:	Not determined.
Explosion limits: Lower: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 23 hPa Density at 20 °C: 1.006 g/cm³ Relative density: Not determined. Vapour density: Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with: Water: Fully miscible. Refraction Index: 1.350	Auto-ignition temperature:	Product is not self-igniting.
Lower: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 23 hPa Density at 20 °C: 1.006 g/cm³ Relative density: Not determined. Vapour density: Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with: Water: Fully miscible. Refraction Index: 1.350	Explosive properties:	Product does not present an explosion hazard.
Upper: Not determined. Vapour pressure at 20 °C: 23 hPa Density at 20 °C: 1.006 g/cm³ Relative density: Not determined. Vapour density: Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with: Water: Fully miscible. Refraction Index: 1.350	Explosion limits:	
Vapour pressure at 20 °C: 23 hPa Density at 20 °C: Relative density: Not determined. Vapour density: Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with: Water: Refraction Index: 1.350	Lower:	Not determined.
Density at 20 °C: 1.006 g/cm³ Relative density: Not determined. Vapour density: Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with: Water: Fully miscible. Refraction Index: 1.350	Upper:	Not determined.
Relative density: Vapour density: Not determined. Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with: Water: Refraction Index: Not determined. 1.350	Vapour pressure at 20 °C:	23 hPa
Vapour density: Evaporation rate: Not determined. Solubility in / Miscibility with: Water: Refraction Index: 1.350 Not determined. Fully miscible.	Density at 20 °C:	1.006 g/cm ³
Evaporation rate: Not determined. Solubility in / Miscibility with: Water: Fully miscible. Refraction Index: 1.350	Relative density:	Not determined.
Solubility in / Miscibility with: Water: Fully miscible. Refraction Index: 1.350		Not determined.
Water: Fully miscible. Refraction Index: 1.350	Evaporation rate:	Not determined.
Water: Fully miscible. Refraction Index: 1.350	Solubility in / Miscibility with:	
		Fully miscible.
Partition coefficient: n-octanol/water: Not determined.	Refraction Index:	1.350
	Partition coefficient: n-octanol/water:	Not determined.
	Dynamic:	Not determined.
Dynamic: Not determined.	Kinematic:	Not determined.

SECTION 10: Stability and reactivity

- 10.1 Reactivity: Stable under recommended conditions.
- 10.2 Chemical stability:

9.2 Other information:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

No further relevant information available.

- 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- 10.4 Conditions to avoid: No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects:

Acute toxicity: Based on available data, the classification criteria are not met.

(Contd. on page 5)



according to 1907/2006/EC, Article 31 Printing date 13.03.2019

Revision: 06.03.2019 Version number 2

Trade name: 3-IN-1 INDOOR CLEANER

Page 5/7

		(Contd. of page 4)
LD/LC50 v	values rele	evant for classification:
64-17-5 et	hanol	
Oral	LD50	7,060 mg/kg (Rat)
Dermal	LD50	>15,800 mg/kg (Rabbit)
Inhalative	LC50/4 h	51 mg/l (Rat)
57-55-6 Pi	ropylene g	glycol
Oral	LD50	20,000 mg/kg (Rat)
Dermal	LD50	20,800 mg/kg (rbt)

Primary irritant effect:

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: No known effect.

Respiratory or skin sensitization: Based on available data, the classification criteria are not met.

CMR effects (carcinogenic, mutagenic and reprotoxic):

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reprotoxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity:

Aquatic toxicity: Not hazardous to water.

12.2 Persistence and degradability: Easily biodegradable

12.3 Bioaccumulative potential: Does not accumulate in organisms

12.4 Mobility in soil: No further relevant information available.

Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

12.5 Results of PBT and vPvB assessment:

PBT: Not applicable. vPvB: Not applicable.

12.6 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

Recommendation: Smaller quantities can be disposed of with household waste.

Contaminated packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
14.1 UN-Number: ADR/RID/ADN, IMDG, IATA	Void
14.2 UN proper shipping name: ADR/RID/ADN, IMDG, IATA	Void
14.3 Transport hazard class(es):	
ADR/RID/ADN, IMDG, IATA Class:	Void

(Contd. on page 6)



according to 1907/2006/EC, Article 31 Printing date 13.03.2019

Revision: 06.03.2019 Version number 2

Page 6/7

Trade name: 3-IN-1 INDOOR CLEANER

(Contd. of page 5) 14.4 Packing group: ADR/RID/ADN, IMDG, IATA Void 14.5 Environmental hazards: Marine pollutant: Nο 14.6 Special precautions for user: Not applicable. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code: Not applicable. **UN "Model Regulation":** Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Directive 2012/18/EU:

Named dangerous substances - ANNEX I: None of the ingredients are listed.

National regulations:

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Relevant phrases:

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Training hints: Take care of good information, instruction and training for users.

Department issuing SDS: Environment protection department.

Abbreviations and acronyms:

ADN: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)

ADR: Accord européen sur le transport des marchandises dangéreuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (Division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative EC50: Effective Concentration, 50 percent

IOELVS: Indicative Occupational Exposure Limit Values

mPa.s: milliPascal per second

Flam, Lig. 2: Flammable liquids - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

This information is based on the current available data (suppliers of raw materials, chemistry maps, Annex VI) See also the internet site: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database

The information provided in this Material Safety Data Sheet has been prepared with the utmost care and corresponds to the most recent information available to the supplier on the date of publication mentioned in the header of every page. The contents of this Material Safety Data Sheet should not be considered as a guarantee for certain product properties or fitness for particular purposes. It is the obligation of the user to determine whether the product is suitable for the specific purpose, intended use and the method of application. This Safety Data Sheet only relates to the product described and does not apply to any not defined use or the use of the product in combination with other materials, substances or products. It is the responsibility of the user to

(Contd. on page 7)



according to 1907/2006/EC, Article 31 Printing date 13.03.2019

Version number 2

Revision: 06.03.2019

Trade name: 3-IN-1 INDOOR CLEANER

(Contd. of page 6)

Page 7/7

use and handle the product with care and to comply with all applicable laws and regulations. The supplier accepts no liability for direct or indirect damages resulting from improper use of this Material Safety Data Sheet and / or the products described therein

GB ·